

1. シワメカニズム関連

2021/03/12 現在

ナンバーが赤字表記の論文は送付可能
(請求先 : imokawag@dream.ocn.ne.jp)

1-1. しわ関連英語原著論文 (32 報)

1. Takema Y., Sakaino Y., **Imokawa G.**: Age-related changes in the elastic properties and thickness of human facial skin. *Brit. J. Dermatol.* 131: 641-648, 1994.
2. Imayama S., Nakamura K., Takeuchi M., Hori Y., Takema Y., Sakaino Y., **Imokawa G.**: Ultraviolet-B irradiation deforms the configuration of elastic fibers during the induction of actinic elastosis in rats. *J. Dermatol. Sci.* 7: 32-38, 1994.
3. **Imokawa G.**, Takema Y., Yorimoto Y., Tsukahara K., Kawai M., Imayama S.: Degree of ultraviolet-induced tortuosity of elastic fibers in rat skin is age-dependent. *J. Invest. Dermatol.* 105: 254-258, 1995.
4. Takema Y., Fujimura T., Ohsu H., **Imokawa G.**: Unusual wrinkle formation after temporary skin fixation followed by UVB irradiation in hairless mouse skin. *Experimental Dermatology* 5: 145-149, 1996.
5. Takema Y., **Imokawa G.**: The effects of UV-A and UV-B irradiation on the viscoelastic properties of hairless mouse skin in vivo. *Dermatology* 196: 397-400, 1998.
6. Gorti S., Tone. H., **Imokawa G.**: Triangulation method for determining capillary blood flow and physical characteristics of the skin. *Applied Optics* 38: 4914-4929, 1999.
7. Tsukahara K., Takema Y., Fujimura T., Moriwaki S., Kitahara T., Imayama S., **Imokawa G.**: All-trans retinoic acid promotes the repair of tortuosity of elastic fibers in rat skin. *Br. J. Dermatol.* 140: 1048-1053, 1999.
8. Tsukahara K., Takema Y., Yorimoto Y., Moriwaki S., Fujimura T., **Imokawa G.**: Effects of single shot UVB irradiation on skin elasticity and three-dimensional microstructure of elastic fibers in rat skin. *Photomedicine and photobiology* 21, 77-79, 1999
9. Tsukahara K., Takema Y., Kazama H., Yorimoto Y., Fujimura T., Moriwaki S., Kitahara T., Kawai M., **Imokawa G.**: A photographic scale for the assessment of human facial wrinkles. *J. Cosmet. Sci.* 51: 127-139, 2000
10. Tsukahara K., Takema Y., Fujimura T., Moriwaki S., Kitahara T., **Imokawa G.**: Determination of age-related changes in the morphological structure(sagging) of the human cheek using a photonumeric scale and three-dimensional surface parameters. *Int. J. Cosmet. Sci.* 22(4): 247-258, 2000
11. Tsukahara K., Takema Y., Moriwaki S., Fujimura T., Kitahara T., **Imokawa G.**: Age-related alterations in the echogenicity in Japanese skin. *Dermatology* 200(4): 303-307, 2000

12. Fujimura T, Moriwaki S, Takema Y, **Imokawa G.** Epidermal change can alter mechanical properties of hairless mouse skin topically treated with 1alpha, 25-dihydroxyvitamin D(3). *J Dermatol Sci.* 24: 105-111, 2000.
13. Fujimura T, Takema Y, Moriwaki S, Tsukahara K, **Imokawa G**, Yamada A, Imayama S. Analytical method to examine the effects of carbon dioxide lasers on skin: A study using wrinkles induced in hairless mice. *Lasers Surg Med.* 28(4): 348-54., 2001
14. Tsukahara K., Takema Y., Moriwaki S, Fujimura T, Imayama S., **Imokawa G.**: Carbon Dioxide Laser Treatment Promotes Repair of the Three-Dimensional Network of Elastic Fibers in Rat Skin. *Br J Dermatol* 144(3): 452-458, 2001
15. Tsukahara K, Takema Y, Moriwaki S, Tsuji N, Suzuki Y, Fujimura T, **Imokawa G.** Selective inhibition of skin fibroblast elastase elicits a dose- dependent prevention of UVB-induced wrinkle formation. *J Invest Dermatol* 117(3) 671-677, 2001
16. Tsuji N, Moriwaki S, Suzuki Y, Takema Y, **Imokawa G.**: The role of elastases secreted by fibroblasts in wrinkle formation: Implication through selective inhibition of elastase activity. *Photochem Photobiol*74(2):283-290, 2001
17. Tsukahara K, Takema Y, Moriwaki S, Fujimura T, **Imokawa G**: Dermal fluid translocation is an important determinant of the diurnal variation in human skin thickness. *Br J Dermatol* 145(4):590-596, 2001
18. Tsukahara K, Takema Y, Moriwaki S, Fujimura T, **Imokawa G.**: Diurnal variation affects age-related profile in skin thickness. *J Cosmet Sci* 52, 392-397, 2001
19. Sogabe Y, Akimoto S, Abe M, Ishikawa O, Takagi Y, **Imokawa G.** Functions of the stratum corneum in systemic sclerosis as distinct from hypertrophic scar and keloid functions. *J Dermatol Sci.* 2002 May;29(1):49-53.
20. Akazaki S, Nakagawa H Kazama H, Osanai O, Kawai M, Takema Y, **Imokawa G**: Age-related changes in skin wrinkles assessed by a novel three-dimensional morphometric analysis. *Br J Dermatol* 147: 689-695, 2002
21. Tsukahara K, Nakagawa H, Moriwaki S, Shingo K, Ohuchi A, Takema Y, **Imokawa G**: Ovariectomy is sufficient to accelerate spontaneous skin ageing and to stimulate ultraviolet irradiation-induced photoageing of murin skin. *Br J Dermatol.* 151(5):984-994, 2004
22. Tsukahara K, Nakagawa H, Moriwaki S, Takema Y, Fujimura T, **Imokawa G**: Inhibition of ultraviolet-B-induced wrinkle formation by an elastase-inhibiting herbal extract: Implication for the mechanism underlying elastase-associated wrinkles. *International J Dermatol*, 45: 460-468, 2004
23. Fujimura T, Moriwaki S, **Imokawa G**, Takema Y: Crucial role of fibroblast integrins alpha2 and beta1 in maintaining the structural and mechanical properties of the skin.

J Dermatol Sci 45(1): 45-53, 2007

24. Kaoru Suganuma, Hiroaki Nakajima, Mamitaro Otsuki, **Genji Imokawa**: Astaxanthin attenuates the UVA-induced up-regulation of matrix-metalloproteinase-1 and skin fibroblast elastase in human dermal fibroblasts. J Dermatol Sci 2010; 58(2): 136-142
25. Naoko Morisaki, Shigeru Moriwaki, Yoriko Sugiyama-Nakagiri, Keiichi Haketa, Yoshinori Takema, **Genji Imokawa**: Neprilysin is identical to skin fibroblast elastase –its role in skin ageing and UV responses. J Biol Chem 2010; 285(51):39819-39827.
26. Hiroaki Nakajima, Yoshiyuki Ezaki, Tomoyashu Nagai, Ryosuke Yoshioka, **Genji Imokawa**: Epithelial-mesenchymal interaction during UVB-induced up-regulation of neutral endopeptidase. Biochem J. 2012 443(1): 297-305.
27. Hiroaki Nakajima, Ryosuke Yoshioka, Yoshiyuki Ezaki, Tomoyashu Nagai, Genji Imokawa: Paracrine cytokine interaction between UVB-exposed epidermal keratinocytes and dermal fibroblasts in stimulating expression of skin fibroblast-derived elastase. Cytokine. 2012; 59(1):166-175 (**Restricted**)
28. Suganuma K, Shiobara M, Sato Y, Nakanuma C, Maekawa T, Ohtsuki M, Yazawa K, **Imokawa G**: Anti-aging and functional improvement effects for the skin by functional foods intakes: clinical effects on skin by oral ingestion of preparations containing Astaxanthin and Vitamins C and E. Jichi Medical University Journal 2012, 35, 25-33
29. Shuko Terazawa, Hiroaki Nakajima, Keisuke Tobita, **Genji Imokawa**: The decreased secretion of hyaluronan by older human fibroblasts under physiological conditions is mainly associated with the down-regulated expression of hyaluronan synthases but not with the expression levels of hyaluronidases. Cytotechnology. 2015 Aug;67(4):609-20. doi: 10.1007/s10616-014-9707-2.
30. Hiroaki Nakajima, Shuko Terazawa, Takao Niwano, Yorihiro Yamamoto, **Genji Imokawa**: The Inhibitory Effects of Anti-Oxidants on Ultraviolet-Induced Up-Regulation of the Wrinkling-Inducing Enzyme Neutral Endopeptidase in Human Fibroblasts. PLoS One. DOI:10.1371/journal.pone.0161580 September 20, 2016
31. Shuko Terazawa, Masahiko Nakano, Akio Yamamoto, **Genji Imokawa**: Mycosporine-like amino acids stimulate hyaluronan secretion by up-regulating hyaluronan synthase 2 via activation of the p38/MSK1/CREB/c-Fos/AP-1 axis. J Biol Chem. 2020 May 22;295(21):7274-7288. doi: 10.1074/jbc.RA119.011139.
32. Shuko Terazawa, Mariko Takada, Yoriko Sato, Hiroaki Nakajima, **Genji Imokawa**: The attenuated secretion of hyaluronan by UVA-exposed hu-man fibroblasts is associated with up- and down-regulation of HYBID and HAS2 expression via activated and inactivated signaling of the p38/ATF2 and JAK2/STAT3 cascades. Int. J. Mol. Sci.

1-2. しわ関連日本語原著論文（3報）

1. 宮戸悦子、塚原和枝、藤村努、森脇繁、武馬吉則、川島眞、**芋川玄爾**、アミジノ-L-プロリンの目尻の小じわに対する改善効果。 皮膚の科学 第1巻・第5号 35
5-362, 2002
2. 塚原和枝、中川秀己、大槻マミ太郎、森脇 繁、藤村 努、武馬吉則、**芋川玄爾**：ショウキョウ抽出液の眼瞼周囲部しわに対する予防および改善効果。自治医大紀要 27: 19-27, 2004
3. 中島弘明、**芋川玄爾**、石堂裕子：UVA曝露ヒト真皮線維芽細胞でのコラゲナーゼI及び線維芽細胞エラスター発現に対するフラビンモノヌイクレオチドの抑制効果。皮膚の科学 第9巻・第5号 442-452, 2010

1-3. しわ関連英語総説論文（11報）

1. Akazaki S、**Imokawa G** : Mechanical methods for evaluating skin surface architecture in relation to wrinkling. J Dermatol Sci Suppl 1: 5- 10, 2001
2. **Imokawa G**: Recent advances in characterizing UV-induced wrinkle formation. Arch Dermatol Research 300 (Supp 1): S7-S20, 2008
3. **Imokawa G**: Mechanism of UVB-Induced Wrinkling of the Skin: Paracrine Cytokine Linkage between Keratinocytes and Fibroblasts Leading to the Stimulation of Elastase. J Investig Dermatol Symp Proc. 2009; 14(1): 36-43,
4. **Imokawa G**: Biological mechanisms involved in increased sagging and wrinkling in the skin of postmenopausal females: A study using ovariectomized animals. Geriatric Dermatology Seminar 2010, 6: 59-65
5. **Imokawa G**, Ishida K. Biological mechanisms underlying the ultraviolet radiation-induced formation of skin wrinkling and sagging I: Reduced skin elasticity, highly associated with enhanced dermal elastase activity, triggers wrinkling and sagging. Int J Mol Sci. 2015 Apr 8;16(4):7753-7775.
6. **Imokawa G**, Nakajima H, Ishida K. Biological Mechanisms Underlying the Ultraviolet Radiation-Induced Formation of Skin Wrinkling and Sagging II: Over-Expression of Neprilysin Plays an Essential Role. Int J Mol Sci. 2015 Apr 8;16(4):7776-7795.
7. **Imokawa G**: Epithelial-mesenchymal interaction mechanisms leading to the over-expression of neprilysin are involved in the UVB-induced formation of wrinkles in the skin. Exp Dermatol. 2016 Aug;25 Suppl 3:2-13. doi: 10.1111/exd.13083.

8. Genji Imokawa: Intracellular signaling mechanisms involved in the biological effects of the xanthophyll carotenoid astaxanthin to prevent the photo-aging of the skin in a reactive oxygen species depletion-independent manner: The key role of mitogen and stress-activated protein kinase 1. *Photochem Photobiol*. 2019 Mar;95(2):480-489. doi: 10.1111/php.13034
9. Genji Imokawa: The xanthophyll carotenoid astaxanthin has distinct biological effects to prevent the photo-aging of the skin even by its post-irradiation treatment. *Photochemistry and Photobiology*, 2019, 95: 490–500
10. Genji Imokawa: The xanthophyll carotenoid astaxanthin has distinct biological effects to prevent ultraviolet light-induced cutaneous inflammation, abnormal keratinization, pigmentation and wrinkling in a reactive oxygen species-depletion independent fashion even by its post-irradiation treatment. *S Geriat Dermatol Res* 2018; 12(2): 1-14
11. Genji Imokawa: Intracellular signaling mechanisms involved in the preventive effects of the xanthophyll carotenoid astaxanthin on ultraviolet light-induced cutaneous inflammation, abnormal keratinization, pigmentation and wrinkling in a reactive oxygen species depletion-independent manner: A key role of mitogen and stress-activated protein kinase 1. *S Geriat Dermatol Res* 2019;

1-4. しわ関連日本語総説論文（20報）

1. 河合道雄, 芋川玄爾, 桐井範治: 紫外線の皮膚に対する影響とその対策. C & T, 3: 3-6, 1988.
2. 河合道雄, 渋江ゆう子, 桐井範治, 芋川玄爾: 吸收型日焼け防止剤. 香粧品科学会誌 13: 231-235, 1989.
3. 芋川玄爾, 桐井範治: UVA が関与する皮膚反応の特徴と SPF. Fragrance J. 9: 41-54, 1992.
4. 河合道雄, 芋川玄爾: 紫外線の害とその防御法. 皮膚と美容 24: 7-17, 1992
5. 芋川玄爾, 武馬吉則: しわを科学する、表皮（脂質、水.）香粧品科学会誌 16:153-155, 1992
6. 芋川玄爾, 武馬吉則: 表皮、特に角質層が関与する小じわの発生要因とその予防. Fragrance J. 11: 29-42, 1992.
7. 芋川玄爾: 紫外線の皮膚に対する影響と対策. 名古屋テキスタイル研究会 12: 12-18, 1993.
8. 武馬吉則、芋川玄爾. 光老化—紫外線の皮膚弾力性および弹性線維微細構造への障害性. 日本皮膚科学会誌 106: 1565-1567, 1996.
9. 芋川玄爾: しわとこじわ. 香粧品科学会誌 20: 284-288, 1996.

10. 芦川玄爾: 皮膚光老化と弾性纖維の代謝及び微細構造の動態—紫外線はどうして しわをつくるのかー. 太陽紫外線防御研究委員会 学術報告第 8 卷第 1 号 : 7-16, 1998
11. 塚原和枝、芦川玄爾: 光老化によるシワの形成機序とその予防 BIO Clinica 17: 1039-1044, 2002
12. 芦川玄爾: 光老化によるシワの形成機序とその予防、Skin Cancer, 18(2): 157-164, 2003
13. 塚原和枝、芦川玄爾: 紫外線によるしわ形成メカニズムとショウキュウエキスの抗しわ効果。Monthly Book Derma デルマ (MB Derma)、全日本病院出版会 2005: 9 8 : 8 7 – 9 3 .
14. 芦川玄爾: 機能性化粧品の展望。Monthly Book Derma デルマ (MB Derma)、全日本病院出版会 2007: 132: 175-189
15. 芦川玄爾: 老化・光老化（シワ）の発生機序 第 6 号特集：皮膚老化と機能性食品 Functional Food 第 6 号 (Vol.2 No.4) 358-365, 2009
16. 芦川玄爾: シミ・シワのメカニズム。太陽紫外線防御委員会 19(1) 59-65, 2009
17. 芦川玄爾: 紫外線によるシワ・タルミ発生メカニズム研究の 23 年間 (1994~2017) の軌跡と到達点。Fragrance J. 6: 12-44, 2017.
18. 芦川玄爾: 最新の肌エイジング—乾燥・シミ・しわ・たるみの最新メカニズムとその正しいアンチエイジング法— Food Style 12. 22(5): 48-63, 2018.
19. 芦川玄爾: アスタキサンチンの活性酸素種除去作用非依存性紫外線誘導炎症、異常角化、色素沈着、シワ・タルミ関連シグナル抑制メカニズム— 抗酸化剤のストレスシグナル抑制メカニズムの新局面—A xanthophyll carotenoid astaxanthin, its variety of biological preventive effects on ultraviolet light-induced cutaneous inflammation, abnormal keratinization, pigmentation and wrinkling in a reactive oxygen species depletion-independent manner. Fragrance J. 7: 1-28, 2018.
20. 芦川玄爾: 最新皮膚エイジングメカニズムと高機能性シワ改善化粧品の開発 第 4 章 紫外線によるシワたるみ発生の分子生物学的メカニズム. シーエムシー出版 2 0 2 0

1-5. しわ関連英語著書（2 帳）

1. Imokawa G: Estrogen Deficiency accelerates spontaneous skin aging and stimulates UV-induced photoaging of murin skin. Aging Skin: Current and future therapeutic strategies, Ed. By Linda D. Rhein & Joachi9m W. Fluhr, Allured Book, Carol Stream, IL USA, 2010, pp 111-137,
2. Imokawa, G.: Biological Mechanisms Underlying the Ultraviolet Radiation-Induced Formation of Skin Wrinkling and Sagging: Over-Expression of Fibroblast Elastase Neprilysin Plays an Essential Role in Reduced Skin Elasticity as its Causative Physical Property /Chapter 1. Cutting Edge on Molecular Mechanisms of Skin Ageing and its

Rational Anti-Aging Treatments and Pathogenesis of Atopic Dermatitis. ed. By G Imokawa, Book Publisher International, Third Floor, 207 Regent Street, London, 2021;pp. 146-148 and pp. 172-173. DOI: 10.9734/bpi/mono/978-93-90516-55-1, DOI: <https://doi.org/10.9734/bpi/mono/978-93-90516-55-1>

1-6. しわ関連日本語著書（1報）

1. 芋川玄爾：単著本 ヒト皮膚測定評価試験マニュアル、シワ防止剤。2007出版社：技術情報協会